




EMB Manufacturing Inc.
4144 Boomer Line · St. Clements, On · N0B 2M0 · Canada
Ph: (519) 699-9283 · Fax: (519) 699-4146
www.embmfg.com

WP835 Wood Processor Parts Manual

S/N 2E9US1119FS062433 – 2E9US1119FS062714



Refer to the operators
manual for safe
operation and
maintenance

Table of Contents

Contents

BOLT TORQUE	3
HYDRAULIC FITTING TORQUE.....	4
WHEEL LUG TORQUE	4
SPLITTER CHUTE ASS'Y.....	5
LEAD IN CHUTE ASS'Y.....	6
LOG HOLD DOWN ASS'Y	7
SPLITTER CRADLE ASS'Y	8
LOG CHUTE ASS'Y	9
RUNNING GEAR.....	10
HUB ASSEMBLY DETAIL	11
ENGINE & PUMP ASS'Y.....	12
HYDRAULIC LINES	13
HYDRAULIC SPLITTER ASS'Y	14
HYDRAULIC VALVES	15
HYDRAULIC CYLINDER	16
HYDRAULIC CYLINDER SEAL KIT #SLK-4525.....	16
HYDRAULIC WINCH.....	17
WINCH DRUM DETAIL	18
WINCH FAIRLEAD DETAIL	18
CONTROL PANEL LABELS	22
WIRING HARNESSSES	23
HYDRAULIC SCHEMATIC.....	24
ACCESSORIES.....	25

Foreword

EMB Mfg. has prepared this parts manual to assist customers in ordering quality OEM replacement parts.

Proper and regular service and replacing old, worn or broken parts with the correct Wallenstein parts are essential to prolonging the life of your Wallenstein product. Please refer to this manual before ordering any replacement parts.

All information contained in this parts manual is based on the latest product specification available at the time of printing this manual. If your product differs from the specifications contained within this manual contact EMB Mfg. for information.

EMB reserves the right to alter specifications on their products at any time.

Reproduction of this parts manual of any kind is prohibited without prior written permission from EMB Mfg.



Refer to the operators manual for safe operation and maintainance

For parts and information please contact your dealer. If your dealer is no longer available please go to our website: <http://www.embmfg.com> and click on "FIND A DEALER NEAR YOU" for information on a local dealer.

Bolt Torque

CHECKING BOLT TORQUE

The tables shown below give correct torque values for various bolts and capscrews. Tighten all bolts to the torques specified in chart unless otherwise noted. Check tightness of bolts periodically, using bolt torque chart as a guide. Replace hardware with the same strength bolt.

Torque figures indicated above are valid for non-greased or non-oiled threads and heads unless otherwise specified. Therefore, do not grease or oil bolts or capscrews unless otherwise specified in this manual. When using locking elements, increase torque values by 5%.

* Torque value for bolts and capscrews are identified by their head markings.


ENGLISH TORQUE SPECIFICATIONS

Bolt Diameter "A"	Bolt Torque*					
	SAE 2 (N.m) (lb-ft)		SAE 5 (N.m) (lb-ft)		SAE 8 (N.m) (lb-ft)	
1/4"	8	6	12	9	17	12
5/16"	13	10	25	19	36	27
3/8"	27	20	45	33	63	45
7/16"	41	30	72	53	100	75
1/2"	61	45	110	80	155	115
9/16"	95	60	155	115	220	165
5/8"	128	95	215	160	305	220
3/4"	225	165	390	290	540	400
7/8"	230	170	570	420	880	650
1"	345	225	850	630	1320	970



METRIC TORQUE SPECIFICATIONS

Bolt Diameter "A"	Bolt Torque*			
	8.8 (N.m) (lb-ft)		10.9 (N.m) (lb-ft)	
M3	.5	.4	1.8	1.3
M4	3	2.2	4.5	3.3
M5	6	4	9	7
M6	10	7	15	11
M8	25	18	35	26
M10	50	37	70	52
M12	90	66	125	92
M14	140	103	200	148
M16	225	166	310	229
M20	435	321	610	450
M24	750	553	1050	774
M30	1495	1103	2100	1550
M36	2600	1917	3675	2710



Hydraulic Fitting Torque

Tightening Flare Type Tube Fittings *

1. Check flare and flare seat for defects that might cause leakage.
2. Align tube with fitting before tightening.
3. Lubricate connection and hand tighten swivel nut until snug.
4. To prevent twisting the tube(s), use two wrenches. Place one wrench on the connector body and with the second tighten the swivel nut to the torque shown.

Tube Size OD	Nut Size Across Flats	Torque Value*		Recommended Turns To Tighten (After Finger Tightening)	
		(N.m)	(lb-ft)	(Flats)	(Turn)
3/16	7/16	8	6	1	1/6
1/4	9/16	12	9	1	1/6
5/16	5/8	16	12	1	1/6
3/8	11/16	24	18	1	1/6
1/2	7/8	46	34	1	1/6
5/8	1	62	46	1	1/6
3/4	1-1/4	102	75	3/4	1/8
7/8	1-3/8	122	90	3/4	1/8

The torque values shown are based on lubricated connections as in reassembly.

Wheel Lug Torque

It is extremely important safety procedure to apply and maintain proper wheel mounting torque on your trailer axle. Torque wrenches are the best method to assure the proper amount of torque is being applied to a fastener.


Wheel lugs should be torqued before first road use and after each wheel removal. Check and re torque after the first 16Km (10 miles), 40Km (25 miles), and again at 80Km (50 miles). Check periodically thereafter.

Note: Wheel lugs must be applied and maintained at the proper torque levels to prevent loose wheels, broken studs, and possible dangerous separation of wheels from your axle.


- Start all lugs by hand to prevent cross threading.
- Tighten lugs in sequence, per wheel lug torque sequence chart.
- The tightening of the fasteners should be done in stages. Following the recommended sequence, tighten fasteners per wheel torque requirements chart.

Wheel Torque Requirements

Wheel Size	Torque Unit	1st Stage	2nd Stage	3rd Stage
8"	ft-lbs	12 - 20	30 - 35	45 - 55
	Nm	16 - 26	39 - 45.5	58.5 - 71.5
12"	ft-lbs	20 - 25	35 - 40	50 - 60
	Nm	26 - 32.5	45.5 - 52	65 - 78
13"	ft-lbs	20 - 25	35 - 40	50 - 60
	Nm	26 - 32.5	45.5 - 52	65 - 78
14"	ft-lbs	20 - 25	50 - 60	90 - 120
	Nm	26 - 32.5	65 - 78	117 - 156
15"	ft-lbs	20 - 25	50 - 60	90 - 120
	Nm	26 - 32.5	65 - 78	117 - 156
16"	ft-lbs	20 - 25	50 - 60	90 - 120
	Nm	26 - 32.5	65 - 78	117 - 156



Splitter Chute Ass'y




Item	Part Number	Description	Qty
1	2071W104	Splitter Chute	1
2	2071W114	Chute Adjuster	1
3	2071L188	Plate, Spring Mount	1
4	Z11232	Hitch Pin 5/8 x 4-1/4	2
5	Z12110	Latch Pin 3/16	2
6	Z34203	Gas Spring, 10mm x 8.44 Stroke	1
7	Z34204	Ball Stud 13mm x 5/16	1
8	Z72221	Hex Lock Nut, 5/16NC	1
9	Z72251	Hex Lock Nut, 1/2NC	2
10	Z76121	Flange Bolt, 5/16NC x 3/4	3
11	Z76259	Carriage Bolt, 1/2NC x 1-1/4	2

Lead In Chute Ass'y


BOM ID	Part No.	Description	Qty
12	2071L503	Plate, Remote Start	1
13	2071W101	Chute, Lead In	1
14	2071W118	Chute, Bottom	1
15	2071W122	Foot, Jack	2
16	2071W505	Cover, Valve	1
17	2071W534	Dust Guard	1
18	5081A100	Hydraulic Winch Assembly	1
19	Z12441	Snap Lock Pin, 1/2" x 4-1/2"	2
20	Z34204	Ball Stud, 13mm x 5/16NC	2


BOM ID	Part No.	Description	Qty
21	Z71330	Hex Bolt, 3/8NC x 3"	2
22	Z72221	Hex Lock Nut, 5/16NC	2
23	Z72231	Hex Lock Nut, 3/8NC	2
24	Z72251	Hex Lock Nut, 1/2NC	4
25	Z76121	Flange Bolt, 5/16NC x 3/4"	8
26	Z76259	Carriage Bolt, 1/2NC x 1-1/4"	4
27	Z78301	Machine Screw, 1/4NC x 3/4"	6
28	Z91515	Trailer Jack, Side Wind x 2000lbs No Foot	2



Log Hold Down Ass'y

BOM ID	Part Number	Description	Qty
24	2071W102	Hold Down Bottom	1
25	2071W110	Log Hold Down Long	1
26	2071W112	Pin, Log Hold Down	1
27	2071W136	Pin, Log Hold Down	1
28	Z29202	Grease Zerk 1/4NF	4
29	Z72221	Hex Lock Nut, 5/16NC	1






Splitter Cradle Ass'y


BOM ID	Part No.	Description	Qty
29	2071M123	Roller Wedge Lift	1
30	2071S126	Edge Log Table	1
31	2071W111	Arm Wedge Lifter	2
32	2071W190	Log Stop Whip	1
33	2071W530	Weldment, Main Frame	1
34	2071W532	Wedge 4 Way	1
35	2071W533	Wedge Position Handle	1
36	Z11232	Hitch Pin, 5/8" x 4-1/4"	1
37	Z12110	Lynch Pin, 3/16"	1
38	Z12441	Snap Lock Pin, 1/2" x 4-1/2"	1
39	Z19321	Grip, 1" x 5"	1
40	Z19909	Rubber Bumper 7/16 x 1	4
41	Z29202	Grease Zerk 1/4NF	1
42	Z34204	Ball Stud, 13mm x 5/16NC	1
43	Z61202	Round Grommet 2" Lamp	1
44	Z61205	Round Marker Lamp 2" Amber	1
45	Z71330	Hex Bolt, 3/8NC x 3"	2
46	Z71515	Hex Bolt, 1/2NC x 1-1/2"	4
47	Z72221	Hex Lock Nut, 5/16NC	1
48	Z72231	Hex Lock Nut, 3/8NC	8
49	Z72251	Hex Lock Nut, 1/2NC	6
50	Z75233	FHCS, 3/8NC x 1"	6
51	Z76153	Flange Bolt, 1/2NC x 1"	4
52	Z76259	Carriage Bolt, 1/2NC x 1-1/4"	2

Log Chute Ass'y



Item	Part Number	Description	Qty
69	2071L123	Clevis, Latch Mount	1
70	2071L504	Hose Clamp, 2x 1/4	2
71	2071S208	Saw Guide	1
72	2071W115	Chute, Log	1
73	2071W121	Arm, Log Chute Lock	1
74	Z12110	Latch Pin, 3/16	1
75	Z34203	Gas Spring, 10mm x 8.44 Stroke	2
76	Z34204	Ball Stud 13mm x 5/16	2
77	Z61301	License Lamp	1
78	Z62819	Rubberized Wire Clamp, 1/2"	2
79	Z71215	Hex Bolt, 5/16NC x 1-1/2	2
80	Z71510	Hex Bolt, 1/2NC x 1	1
81	Z71515	Hex Bolt, 1/2NC x 1-1/2	4
82	Z71530	Hex Bolt, 1/2NC x 3	1
83	Z72211	Hex Lock Nut, 1/4NC	2
84	Z72221	Hex Lock Nut, 5/16NC	2
85	Z72251	Hex Lock Nut, 1/2NC	6
86	Z72531	Flange Nut, 3/8NC	2
87	Z72551	Flange Nut 1/2NC	2
88	Z73151	Flat Washer, 1/2	1
89	Z76232	Carriage Bolt, 3/8NC x 1-1/4	2
90	Z76712	Self-tapping Screw #10	3
91	Z78301	Machine Screw, 1/4-20NC x 3/4	2
92	Z96503	Manual Tube 3-1/2 Short	1


Running Gear



Note: Axle comes complete with hubs: see Hub Assembly Detail.


BOM ID	Part No.	Description	Qty
93	2089L351	Light Guard	1
94	2089L351	Light Guard	1
95	2071L507	Tray, Battery	1
96	2071S129	Chain Bumper	1
97	2071W116	Drop Leg Jack Assembly	1
98	2071W535	Weldment, WP830 Tank Base	1
99	2071W537	Tongue	1
100	Z51192	Socket Plug, MP 08	1
101	Z55404	Vented Plug Dipstick x 9"	1
102	Z61106	Stop, Turn, Tail Light LH	1
103	Z61107	Stop, Turn, Tail Light RH	1
104	Z61202	Round Grommet 2" Lamp	1
105	Z61205	Round Marker Lamp 2" Amber	1
106	Z62126	WP800 Series Lights Harness	1
107	Z62819	Rubberized Wire Clamp, .12"	5
108	Z71310	Hex Bolt, 3/8NC x 1"	2
109	Z71312	Hex Bolt, 3/8NC x 1-1/4"	2
110	Z71510	Hex Bolt, 1/2NC x 1"	8
111	Z71515	Hex Bolt, 1/2NC x 1-1/2"	2
112	Z71532	Hex Bolt, 1/2NC x 3-1/4"	2
113	Z72211	Hex Lock Nut, 1/4NC	5
114	Z72231	Hex Lock Nut, 3/8NC	4
115	Z72251	Hex Lock Nut, 1/2NC	13
116	Z72311	Jam Nut, 1/4NC	4
117	Z72551	Serrated Flange Locknut, 1/2NC	14
118	Z72921	Wing Nut, 1/4NC	2
119	Z72931	Lug Nut, 1/2NF	8
120	Z73431	Int - Ext Tooth Washer, 1/4"	4
121	Z75233	FHCS, 3/8NC x 1"	4
122	Z76121	Flange Bolt, 5/16NC x 3/4"	3
123	Z78301	Machine Screw, 1/4NC x 3/4"	5
124	Z91115	#9 Full Flex Axle, 2200lbs x 54" HF	1
125	Z91322	5.30-12 LRC USA Trail 40x4" (E-Marked)	2
126	Z91614	Hitch Coupler, 2" Ball x 2" x 3500lbs	1
127	Z92303	Safety Chain 1/4 x 2'	2
128	Z93202	J-Hook 1/4 x 7'	2
129	Z93204	325 CCA Battery	1
130	Z93207	Hold-Down Strap, 1 x 8-1/2'	1

Hub Assembly Detail



BOM ID	Part No.	Description	Qty
131	Z23202	L44649 Cone, L44610 Cup	3
132	Z28302	Double Lip Seal 1-1/16 Spindle	2
133	Z29201	Grease Fitting, 1/8NPT	2
134	Z72931	Lug Nut, 1/2NF	5
135	Z91201	Hub, 1000lbs x 4on4	2
136	Z91801	Dust Cap, 1.98 Bore	1


BOM ID	Part No.	Description	Qty
137	2071L545	Plate, Engine Mount	1
138	Z46404	Shaft Coupler, L095 x 1	1
139	Z46405	Coupler Spider, L095	1
140	Z46419	Shaft Coupler, L095 x 5/8	1
141	Z46522	Key, 3/16 x 3/16 x 1	1
142	Z46533	Key, 1/4 x 1/4 x 1	1
143	Z47712	Subaru EX400DP, 14hp Engine	1
144	Z47906	Keyswitch for Subaru EX400	1
145	Z51185	Straight, MHB x MP 2020	1
146	Z51186	Straight, MHB x MP 2016	1
147	Z53206	Two-Stage Pump, 22GPM	1
148	Z53806	Pump Mount, PM-14SU	1
149	Z55102	Suction Strainer, MP32	1
150	Z64611	Hour Meter, E-Mech DC	1
151	Z71274	Hex Bolt, 5/16NF x 1"	4
152	Z71310	Hex Bolt, 3/8NC x 1"	2
153	Z71315	Hex Bolt, 3/8NC x 1-1/2"	4
154	Z72621	Serrated Flange Locknut, 5/16NC	8
155	Z72631	Serrated Flange Locknut, 3/8NC	4
156	Z72731	Machine Nut, #6NC	2
157	Z72752	Machine Nut, #10NF	2
158	Z78303	Machine Screw, #10NF x 1/2"	2
159	Z78304	Machine Screw, #6NC x 3/8"	2
160	Z79404	Hose Clamp, SAE #24 (2")	2
161	Z79833	Isolator, 1-9/16" Dia x 1" x 5/16NC	4
162	Z92115	Remote Choke Cable 68"	1
163	Z92116	Remote Throttle Cable 66"	1
164	Z52408	Suction Hose, 1-1/4" x 30"	1




Engine & Pump Ass'y

Hydraulic Lines

BOM ID	Part No.	Description	Qty
165	Z51293	Tee, FP x FP x FP 121212	1
166	Z51331	Elbow 90, MP x FFX 0808	2
167	Z51333	Elbow 90, MP x FFX 1612	1
168	Z51335	Elbow 90, MP x FFX 1212	2
169	Z51389	Elbow 90, MORB x FFX 1212	2
170	Z51613	Straight, MORB x MP 1212	2
171	Z52123	1/4" Hose, FJIC06 x MP08 x 45"	2
172	Z52411	3/4" Hose, MP12 x MP12 x 14"	1
173	Z52413	3/4" Hose, MP12 x MP12 x 18"	1
174	Z55303	Particulate Filter	1
175	Z55304	Filter Cap, MP16 x FP16	1
176	Z52409	3/4" Hose, MP12 x MP12 x 36"	1



Hydraulic Splitter Ass'y




BOM ID	Part No.	Description	Qty
177	2055S517	Cap, Push Block	1
178	2071C101	Cylinder, 4-1/2 x 24 x 2-1/2	1
179	2071F501	3/4" Hose, MP08 x MP08 x 42"	1
180	2071F502	3/4" Hose, MP08 x MP08 x 56"	1
181	2071F503	3/4" Hose, MP08 x MP08 x 28"	1
182	2071F504	1/4 Hose, FJIC06 x 90FJIC06 x 25"	1
183	2071L215	Plate, Cylinder Retaining	1
184	2071W531	Weldment, Hvy Push Block	1
185	Z19908	Whip 1/2 x 24	1
186	Z51125	Straight, MP x MP 1616	1
187	Z51171	Tee, MP x FP x FP 121212	1
188	Z51225	Straight, MP x FP 1612	1
189	Z51335	Elbow 90, MP x FPX 1212	6
190	Z51389	Elbow 90, MORB x FPX 1212	1
191	Z51446	Straight, MJIC x MP 0612	1
192	Z51452	Elbow 90, MJIC x MP 0606	1
193	Z56405	Dump Valve	1
194	Z71210	Hex Bolt, 5/16NC x 1"	1
195	Z71540	Hex Bolt, 1/2NC x 4"	1
196	Z71555	Hex Bolt, 1/2NC x 5-1/2"	3
197	Z71576	Hex Bolt, 1/2NF x 1-1/2" G8	3
198	Z72221	Hex Lock Nut, 5/16NC	1
199	Z72251	Hex Lock Nut, 1/2NC	4


Hydraulic Valves

Item	Part Number	Description	Qty
194	660150004	Handle Kit (Prince)	1
195	Z56213	Dual Valve, Auto-cycle	1
196	Z56214	Single Spring Center Valve	1
197	Z71220	Hex Bolt, 5/16NC x 2	6
198	Z72231	Hex Lock Nut, 5/16NC	6
199	Z51613	Straight ORB x MP 1212	1

Note: Replacement valves come complete with handle.




Hydraulic Cylinder




BOM ID	Part Number	Description	Qty
200	2071C1014	Barrel, 4-1/2"	1
201	2071C1012	Rod, 2-1/2x 1	1
202	568-018	Piston To Rod Seal O-Ring 1"	1
203	568-346	4-1/2"OD X 1/8" CROSS SECTION O-RING	1
204	575-346	4-1/2" Back-Up Ring	1
205	G450-250S	4-1/2" X 2-1/2" GLAND	1
206	Z72292G8	Hex Lock Nut 1NF Grade 8	1
207	P100-450SP	4-1/2" BORE PISTON	1
208	PSC-346	4-1/2" Double Acting Piston Seal	1
209	ST-250	2-1/2" Rod Wiper	1
210	UI8-250-37B	2-1/2" X 2-7/8" X 3/8" U-CUP	1

Hydraulic Cylinder Seal Kit #SLK-4525

VIEW SHOWS PROPER SEAL ORIENTATION



Hydraulic Winch




Note: Replacement winch gears should be ordered in sets.
 Order:
 #5081M125 Gear Driven
 #5081M126 Drive Gear Hub

BOM ID	Part No.	Description	Qty
114	Z32201	Comp Spring, 10mm OD x 64mm x 0.0475"	2
115	Z92405	60" Winching Strap	1
116	Z71535	Hex Bolt, 1/2NC x 3-1/2"	1
117	Z71517	Hex Bolt, 1/2NC x 1-3/4"	2
118	Z76153	Flange Bolt, 1/2NC x 1"	4
119	Z76121	Flange Bolt, 5/16NC x 3/4"	7
120	Z71105	Hex Bolt, 1/4NC x 1/2"	2
121	Z76111	Flange Bolt, 1/4NC x 3/4"	1
122	Z74111	Set Screw, 1/4NC x 1/4"	2
123	Z72251	Hex Lock Nut, 1/2NC	7

BOM ID	Part No.	Description	Qty
103	5081W111	Shield	1
104	5081W112	Handle, Winch Clutch	1
105	5081W102	Housing, Winch	1
106	5081W114	Holder, Brake Pad	1
107	5081M126	Drive Gear Hub	1
108	5012M204	Block, Drum Brake	1
109	5081L114	Washer, Motor Shaft	1
110	5081A101	Fairlead	1
111	Z51656	Elbow 90, MJIC x MORB 0610	2
112	Z54102	M&S Hydraulic Motor 200	1
113	Z46533	Key, 1/4 x 1/4 x 1	1


Winch Drum Detail



Note: Replacement winch gears should be ordered in sets. Order:
#508M125 Gear Driven
#508M126 Drive Gear Hub





BOM ID	Part No.	Description	Qty
124	5081M125	Gear, Driven	1
125	5081W121	Drum, Main Cable	1
126	Z25207	Z25203 Insert Only	2
127	Z25301	PF206 Flange Only	4
128	Z29202	Grease Zerk 1/4NF	1
129	Z34302	Spring Plunger, 3/8NC x 5/8" x 21 lbs	1
130	Z46531	Key, 1/4 x 1/4 x 2	1
131	Z72531	Serrated Flange Locknut, 3/8NC	6
132	Z74113	Set Screw, 1/4NC x 1/4"	2
133	Z76233	Carriage Bolt, 3/8NC x 3/4"	6
134	Z92112	Synthetic Winch Rope 1/4 x 50' with Hook	1

Winch Fairlead Detail







BOM ID	Part No.	Description	Qty
246	5081W103	Bracket, Fairlead	1
247	5081M109	Bushing, Fairlead Side	2
248	5081M111	Bushing, Fairlead Top	2
249	Z27103	Fiberglide Bearing, 1/2" ID x 1" long x 1/16" wall	8
250	Z71566	Hex Bolt, 1/2NC x 6-1/4" x 5-1/4" Shank	2
251	Z71567	Hex Bolt, 1/2NC x 5" x 4" Shank	2
252	Z72251	Hex Lock Nut, 1/2NC	4


Labels




See Control Panel Layout on Page 22







Z94426 x 2
1 on each side





Z94426 x 1




Z94426 x 2
1 on each side


Control Panel Labels




Z94805




Z94163



Z94401



Z94119




Z94409



Z94228


Wiring Harnesses

Part Number	Description	Qty
Z62124	Harness, WP800 Series Engine Control	1
Z62126	Harness, WP800 Series Lights	1




Accessories


Call your dealer for pricing and availability




#P100 NYLON CHAINSAW HOLSTER



#P601 6-WAY WEDGE



#299001 48" LOG PEAVEY




#P200


#P200 PIVOTING CHAINSAW HOLDER

For all WP Series
Easy mounting to most chain saws, the pivoting chain saw holder securely holds your saw in place allowing for easier cutting and saving time handling your chainsaw.

Available:
P210 Spare Pivoting Chainsaw Adaptor
Save time switching out chainsaws with a spare adaptor for your second chainsaw!



EMB Manufacturing Inc.
4144 Boomer Line - St. Clements, On - N0B 2M0 - Canada
Ph: (519) 699-9283 - Fax: (519) 699-4146
www.embmfg.com



**Wood Processor
MODEL WP635, WP835 & WP865
OPERATOR'S MANUAL**

Before putting the Wood Processor into service:
Do not attempt to start or operate the Wood Processor without receiving full safety training and instruction in its features, operation and maintenance. See page 4 for Pre-Delivery Procedure.

**Keep this manual with the
Wood Processor at all times**

PRINTED IN CANADA
Rev: 110215 PART NUMBER: Z97086

**#Z97086
WOOD PROCESSOR
OPERATOR'S MANUAL**

Available as a download at
www.embmfg.com